
Quote Product Specifications

P0S120HU1H (782-HY-82)

12oz Hydrolox Polyester Filter Felt

Customer Code

Weight 12 oz/yd²

Fiber Specifications

Fiber	POLYESTER
Construction	Unsupported
Finish	HEATSET
Weight	11 - 13 oz/yd ²
Thickness	50 - 65 mils
Average Air Permeability	35 - 50 cfm
Minimum Mullen Burst Strength	380 psi
Minimum Tensile Strength	MD 170 lbs/2" XD 240 lbs/2"
Maximum Elongation MD Directions	1.5% @ 11.240lbf
Maximum Shrinkage Both Directions	1.5% @ 300 °F For 2 Hours

Special Instructions/Comments

Call for more info
(800) 367-1953



Visit us online
www.dustcollector-bags.com